

PRODUCT FICHE

ASKO



Built-In Oven 459496 OCS8476S

USP :

Product group	Oven
Image	
Bottom heater	✓
Upper heater	✓
Upper and bottom heater	✓
Grill	✓
Large grill	✓
Grill with fan	✓
Hot air and bottom heater	✓
3D Hot air	✓
Hot air with steam	✓
Steam assisted cooking	✓
Defrost function	✓
Bottom heater and fan	✓
Professional/manual mode	✓
Auto/coach mode	✓
Quick preheat	✓
Plate warming	✓
Reheating	✓
Step cooking - cooking in several steps	✓
Pro Roast - autoprogram for meat and fish	✓
Full steam function	✓
Steam injection - inject steam when you want	✓
Soft Close™ - smooth and safe closing of the door	✓
Double light on different levels	✓
Touch Proof surface	✓
Cooking timer	✓
Delayed start	✓
Minute minder/alarm	✓
Clock	✓
Recipe saving function	✓
Water hardness test stick	✓
Water hardnes setting	✓
Descaling program	✓
Pans fits all ASKO ovens	✓
Simultaneous cooking on two levels	✓
Adjustable feet	✓
Vault shaped cavity	✓
High-quality durable enamel	✓
Re-use of condensate water	✓
Multisteam distribution	✓

Hidden upper heater	✓
Flat internal door	✓
Foldable upper heater	✓
Easy door glass removal	✓
Aqua cleaning	✓
Active oven cooling	✓
Kid Safe™ - lock the buttons	✓
Kid Lock™ - locking the door	✓



Basic information :

Product group	Built-In Oven
Brand	ASKO
Commercial code	OCS8476S
Internal article number	459496
EAN code	3838942462689
Main colour of product	VZ065; Brushed stainless steel
Construction type	Built-in
Type of control	Electronic
Microwave function	No
Are any hobs controls integrated?	Yes
Door Material	Glass/Stainless steel
Energy input	Electricity
Cooking method	Combined compact steam oven
Electrical connection rating	2600 W
Current	/
Voltage	220-240
Frequency	50
Marks of conformity	CE,VDEGS,RCM,SAA443EA
Length of electrical supply cord	150 cm
Plug type	Without plug, supply cord 3 x 1.5
Height of the product	455 mm
Width of the product	595 mm
Depth of the product	546 mm
Height of the packed product	550 mm
Width of the packed product	660 mm
Depth of the packed product	700 mm
Min height of installation niche	450 mm
Min width of installation niche	560 mm
Depth of installation niche	550 mm
Net weight	36,4 Kg
Gross weight	41,1 Kg
Automatic programmes	Yes
Type of control setting and signalling devices	Electronic programing timer TFT
Color / Material front	Jet black
Grill power	2200 W

Features :

Temperature control	Electronic
Short description of the product	BO4CS2T1-42 - OCS8476S
Timer	Yes
Integrated Cleaning system	Easy to clean enamel
Grids	1
Time control	Mechanical
Time-setting Options	Start and stop
Trays	3
Control panel information	TFT display
Oven interior	/
Motorized Turn Spit	No
Additional equipment included	Baking tray EM - 1 Oven grid - 1 Steam pan GN 454x324x40 - 1 Steam pan GN 454x324x40 perforated - 1
Safety device	Thermo electric oven protection Oven door switch
Oven lighting	Yes

Position of interior lights	2
Meat probe	/
Oven guides	One level full pull-out

Energy label information / Performance :

Standard load cooking time - fan cooking	45,6 min
Standard load cooking time - conventional cooking	44,0 min
The power consumption in off-mode	1,00 W
Energy consumption per cycle conventional (2010/30/ES)	0,82 kWh/Zyklus
Energy consumption gas oven per cycle conventional (2010/30/ES)	/
Energy consumption per cycle forced air convection (2010/30/ES)	0,62 kWh/cycle
Usable volume of cavity (2010/30/ES)	50 l
Number of cavities - NEW (2010/30/EC)	1
Energy consumption gas oven per cycle conventional - NEW (2010/30/EC)	/
Energy efficiency index (2010/30/EC)	81,6
Energy efficiency class	A+
Energy consumption conventional	0,82 kWh
Noise	47 db(A)re 1 pW
Energy consumption forced air convection	0,62 kWh
Useable volume (of cavity)	50 l
Product size	Medium

