

PRODUCT FICHE

ASKO



Built-In Oven 500351 OCS8487S

USP :

| Product group | Oven |
|---|------------------------|
| Image | |
| Bottom heater | ✓ |
| Upper heater | ✓ |
| Upper and bottom heater | ✓ |
| Grill | ✓ |
| Large grill | ✓ |
| Grill with fan | ✓ |
| Hot air and bottom heater | ✓ |
| 3D Hot air | ✓ |
| Eco program | ✓ |
| Hot air with steam | ✓ |
| Steam assisted cooking | ✓ |
| Defrost function | ✓ |
| Bottom heater and fan | ✓ |
| Professional/manual mode | ✓ |
| Auto/coach mode | ✓ |
| Quick preheat | ✓ |
| Plate warming | ✓ |
| Reheating | ✓ |
| Step cooking - cooking in several steps | ✓ |
| Pro Roast - autoprogram for meat and fish | ✓ |
| Full steam function | ✓ |
| Steam injection - inject steam when you want | ✓ |
| Knob shape | Ergonomic knobs |
| Soft Close™ - smooth and safe closing of the door | ✓ |
| Double light on different levels | ✓ |
| Touch Proof surface | ✓ |
| Cooking timer | ✓ |
| Delayed start | ✓ |
| Minute minder/alarm | ✓ |
| Clock | ✓ |
| Recipe saving function | ✓ |
| Water hardness test stick | ✓ |
| Water hardness setting | ✓ |
| Descaling program | ✓ |
| Meat Probe | ✓ |
| Pans fits all ASKO ovens | ✓ |
| Simultaneous cooking on two levels | ✓ |
| Adjustable feet | ✓ |
| Vault shaped cavity | ✓ |

| | |
|------------------------------|---|
| High-quality durable enamel | ✓ |
| Re-use of condensate water | ✓ |
| Multisteam distribution | ✓ |
| Hidden upper heater | ✓ |
| Flat internal door | ✓ |
| Foldable upper heater | ✓ |
| Easy door glass removal | ✓ |
| Aqua cleaning | ✓ |
| Active oven cooling | ✓ |
| Kid Safe™ - lock the buttons | ✓ |



Basic information :

| | |
|--|-----------------------------------|
| Product group | Built-In Oven |
| Brand | ASKO |
| Commercial code | OCS8487S |
| Internal article number | 500351 |
| EAN code | 3838942106620 |
| Main colour of product | VZ065; Brushed stainless steel |
| Construction type | Built-in |
| Type of control | Electronic |
| Microwave function | No |
| Are any hobs controls integrated? | Yes |
| Door Material | Glass |
| Energy input | Electricity |
| Cooking method | Combined compact steam oven |
| Electrical connection rating | 2600 W |
| Current | / |
| Voltage | 220-240 |
| Frequency | 50 |
| Marks of conformity | CE,VDEGS,RCM,SAA443EA |
| Length of electrical supply cord | 150 cm |
| Plug type | Without plug, supply cord 3 x 1.5 |
| Height of the product | 455 mm |
| Width of the product | 595 mm |
| Depth of the product | 546 mm |
| Height of the packed product | 550 mm |
| Width of the packed product | 660 mm |
| Depth of the packed product | 700 mm |
| Min height of installation niche | 450 mm |
| Min width of installation niche | 560 mm |
| Depth of installation niche | 550 mm |
| Net weight | 36,4 Kg |
| Gross weight | 41,1 Kg |
| Automatic programmes | / |
| Type of control setting and signalling devices | TFT MATRIX |
| Color / Material front | Jet black |
| Grill power | 2200 W |

Features :

| | |
|----------------------------------|--|
| Temperature control | Electronic |
| Short description of the product | BO4CS2F3-42 - OCS8487S |
| Timer | Yes |
| Integrated Cleaning system | Easy to clean enamel |
| Grids | 1 |
| Time control | Mechanical |
| Time-setting Options | Start and stop |
| Trays | 3 |
| Control panel information | TFT display |
| Oven interior | / |
| Motorized Turn Spit | No |
| Additional equipment included | Baking tray EM - 1 Oven grid - 1 Steam pan GN 454x324x40 - 1 Steam pan GN 454x324x40 perforated - 1 |

Safety device

Thermo electric oven protection

Oven lighting

Oven door switch

Position of interior lights

Yes

Meat probe

2

Oven guides

Yes

One level full pull-out+STOP

Energy label information / Performance :

Standard load cooking time - fan cooking

45,6 min

Standard load cooking time - conventional cooking

44,0 min

The power consumption in off-mode

1,00 W

Energy consumption per cycle conventional (2010/30/ES)

0,82 kWh/Zyklus

Energy consumption gas oven per cycle conventional (2010/30/ES)

/

Energy consumption per cycle forced air convection (2010/30/ES)

0,62 kWh/cycle

Usable volume of cavity (2010/30/ES)

50 l

Number of cavities - NEW (2010/30/EC)

1

Energy consumption gas oven per cycle conventional - NEW (2010/30/EC)

/

Energy efficiency index (2010/30/EC)

81,6

Energy efficiency class

A+

Energy consumption conventional

0,82 kWh

Noise

47 db(A)re 1 pW

Energy consumption forced air convection

0,62 kWh

Useable volume (of cavity)

50 l

Product size

Medium

