

PRODUCT FICHE

ASKO

**Built-In Oven****459498****OCS8656S****USP :**

Product group	Oven
Image	
Bottom heater	✓
Upper heater	✓
Upper and bottom heater	✓
Grill	✓
Large grill	✓
Grill with fan	✓
Hot air and bottom heater	✓
3D Hot air	✓
Hot air with steam	✓
Steam assisted cooking	✓
Defrost function	✓
Bottom heater and fan	✓
Professional/manual mode	✓
Auto/coach mode	✓
Quick preheat	✓
Plate warming	✓
Reheating	✓
Step cooking - cooking in several steps	✓
Pro Roast - autoprogram for meat and fish	✓
Steam injection - inject steam when you want	✓
Knob shape	Ergonomic knobs
Soft Close™ - smooth and safe closing of the door	✓
Double light on different levels	✓
Touch Proof surface	✓
Cooking timer	✓
Delayed start	✓
Minute minder/alarm	✓
Clock	✓
Recipe saving function	✓
Water hardness test stick	✓
Water hardness setting	✓
Descaling program	✓
Meat Probe	✓
Pans fits all ASKO ovens	✓
Simultaneous cooking on two levels	✓
Adjustable feet	✓
Vault shaped cavity	✓
High-quality durable enamel	✓
Re-use of condensate water	✓

Multisteam distribution	✓
Hidden upper heater	✓
Flat internal door	✓
Foldable upper heater	✓
Easy door glass removal	✓
Aqua cleaning	✓
Active oven cooling	✓
Kid Safe™ - lock the buttons	✓
Kid Lock™ - locking the door	✓



Basic information :

Product group	Built-In Oven
Brand	ASKO
Commercial code	OCS8656S
Internal article number	459498
EAN code	3838942456947
Main colour of product	VZ065; Brushed stainless steel
Construction type	Built-in
Type of control	Electronic
Microwave function	No
Are any hobs controls integrated?	Yes
Door Material	Glass/Stainless steel
Energy input	Electricity
Cooking method	/
Electrical connection rating	3400 W
Current	/
Voltage	220-240
Frequency	50
Marks of conformity	CE,VDEGS,RCM,SAA443EA
Length of electrical supply cord	150 cm
Plug type	Without plug, supply cord 3 x 1.5
Height of the product	595 mm
Width of the product	595 mm
Depth of the product	546 mm
Height of the packed product	700 mm
Width of the packed product	660 mm
Depth of the packed product	700 mm
Min height of installation niche	590 mm
Min width of installation niche	560 mm
Depth of installation niche	550 mm
Net weight	45,1 Kg
Gross weight	50,3 Kg
Automatic programmes	Yes
Type of control setting and signalling devices	Electronic programming timer DOT MATRIX ProCook
Color / Material front	Jet black
Grill power	2700 W

Features :

Temperature control	Electronic
Short description of the product	BO6SA2L1-42 - OCS8656S
Timer	Yes
Integrated Cleaning system	Easy to clean enamel
Grids	1
Time control	Mechanical
Time-setting Options	Start and stop
Trays	5
Control panel information	Dot matrix display
Oven interior	/
Motorized Turn Spit	No
Additional equipment included	Deep baking pan - 1 Baking tray EM - 2 Oven grid - 1 Steam pan GN 454x324x40 - 1 Steam pan GN 454x324x40 perforated - 1

Energy label information / Performance :