1/3

PRODUCT FICHE

Built-In Oven

459500



459500 OCS8676S	
USP :	
Product group	Oven
Image Bottom heater	4
Upper heater	*
Upper and bottom heater	*
Grill	*
Large grill	*
Grill with fan	*
Hot air and bottom heater	*
	*
3D Hot air	V
Eco program	×
Hot air with steam	×
Steam assisted cooking	×
Defrost function	×
Bottom heater and fan	×
Professional/manual mode	×
Auto/coach mode	×
Quick preheat	×
Plate warming	A.
Reheating	v
Step cooking - cooking in several steps	×
Pro Roast - autoprogram for meat and fish	×
Steam injection - inject steam when you want	×
Soft Close [™] - smooth and safe closing of the door	×
Soft Open [™] - smooth and safe opening of the	1
door Double light on different levels	4
Touch Proof surface	4
Cooking timer	J.
Delayed start	
Minute minder/alarm	J
Clock	*
Recipe saving function	4
Water hardness test stick	* .4
Water hardnes setting	*
Descaling program	*
Meat Probe	▼
Pans fits all ASKO ovens	~
Simultaneous cooking on two levels	×
Adjustable feet	×
Vault shaped cavity	v
	×
High-quality durable enamel	V

Re-use of condensate water	×
Multisteam distribution	×
Hidden upper heater	×
Flat internal door	×
Foldable upper heater	×
Easy door glass removal	×
Aqua cleaning	×
Active oven cooling	×
Kid Safe™ - lock the buttons	×
Kid Lock [™] - locking the door	×



Basic information :

Product group	Built-In Oven
Brand	ASKO
Commercial code	OCS8676S
Internal article number	459500
EAN code	8715393124913
Main colour of product	VZ065; Brushed stainless steel
Construction type	Built-in
Type of control	Electronic
Microwave function	No
Are any hobs controls integrated?	Yes
Door Material	Glass/Stainless steel
Energy input	Electricity
Cooking method	1
Electrical connection rating	3400 W
Current	1
Voltage	220-240
Frequency	50
Marks of conformity	CE,VDEGS,RCM,SAA443EA
Length of electrical supply cord	150 cm
Plug type	Without plug, supply cord 3 x 1.5
Height of the product	595 mm
Width of the product	595 mm
Depth of the product	546 mm
Height of the packed product	700 mm
Width of the packed product	660 mm
Depth of the packed product	700 mm
Min height of installation niche	590 mm
Min width of installation niche	560 mm
Depth of installation niche	550 mm
Net weight	47,1 Kg
Gross weight	52,3 Kg
Automatic programmes	Yes
Type of control setting and signalling devices	Electronic programing timer TFT
Color / Material front	Jet black
Grill power	2700 W
	2,00 11
-	

Features :

Temperature control	Electronic
Short description of the product	BO6SA2T1-42 - OCS8676S
Timer	Yes
Integrated Cleaning system	Easy to clean enamel
Grids	1
Time control	Mehanical
Time-setting Options	Start and stop
Trays	5
Control panel information	TFT display
Oven interior	1
Motorized Turn Spit	No

Oven guides

Energy label information / Performance :

Standard load cooking time - fan cooking				
Standard load cooking time - conventional cooking				
The power consumption in off-mode				
Energy consumption per cycle conventional (2010/30/ES)				
Energy consumption gas oven per cycle conventional (2010/30/ES)				
Energy consumption per cycle forced air convection (2010/30/ES)				
Usable volume of cavity (2010/30/ES)				
Number of cavities - NEW (2010/30/EC)				
Energy consumption gas oven per cycle conventional - NEW (2010/30/EC)				
Energy efficiency index (2010/30/EC)				
Energy efficiency class				
Energy consumption conventional				
Noise				
Energy consumption forced air convection				
Useable volume (of cavity)				
Product size				



Yes Three level full pull-out 42,5 min 46,2 min 1,00 W

1,00 W
0,96 kWh/Zyklus
1
0,70 kWh/cycle
731
1
1
81,4
A+
0,96 kWh
47 db(A)re 1 pW
0,70 kWh
73 I
Large